
















F : Winkelrotor ; A : Ausschwingrotor ; T : Trommel-Rotor ; * : 40 (A) (Gehänge rechteckig Winkelrotor) et 16 (A) (Gehänge zylindrisch).

5810R	5810	5804 R	5804	5702 RH	5702 R	5702	5417 R	5415 R	5430	5424	5424 R	5418	MiniSpin Plus®	MiniSpin®		
																
Gekühlt	-	Gekühlt	-	Gekühlt / Thermostat	Gekühlt	-	Gekühlt	Gekühlt	-	-	Gekühlt	-	-	-		
20.800		20.800		3.000	3.000	3.000	25.000	16.100	30.130	20.238	21.130	16.873	14.000	12.100	rcf max (x g)	Winkelrotor
14.000		14.000		4.400	4.400	4.400	16.400	13.200	17.500	14.680	15.000	14.400	14.500	13.400	RPM max.	Ausschwingrotor
4.500		4.500		-	-	-	10.600	-	2.204	-	-	-	-	-	rcf max (x g)	Ausschwingrotor
5.000		5.000		-	-	-	10.000	-	4.680	-	-	-	-	-	RPM max.	Ausschwingrotor
16.400		16.400		-	-	-	-	-	-	-	-	-	-	-	rcf max (x g)	Trommel-Rotor
14.000		14.000		-	-	-	-	-	-	-	-	-	-	-	RPM max.	Trommel-Rotor
30 (F) / 120 (T)	30 (F) / 120 (T)	30 (F) / 120 (T)		24 (F) / 16 (A)	24 (F) / 16 (A)	24 (F) / 16 (A)	30	36	30	24	24	18	12	12	Röhrchen Eppendorf 0,2 - 0,6 ml	
30 (F) / 96 (A) / 60 (T)	30 (F) / 96 (A) / 60 (T)	30 (F) / 96 (A) / 60 (T)		24 (F) / 16 (A)	24 (F) / 16 (A)	24 (F) / 16 (A)	30(F)/8 (A)	24	30	24	24	18	12	12	Röhrchen Eppendorf 1,5 ml	
30 (F) / 96 (A) / 60 (T)	30 (F) / 96 (A) / 60 (T)	30 (F) / 96 (A) / 60 (T)		24 (F) / 16 (A)	24 (F) / 16 (A)	24 (F) / 16 (A)	30(F)/8 (A)	24	30	24	24	18	12	12	Röhrchen Eppendorf 2,0 ml	
6	6	6		-	-	-	6	-	8	4	4	-	2	2	PCR-Streifen von 8 Röhrchen	
6 (F) / 48 (A)	6 (F) / 16 (A)	6 (F) / 16 (A)		20/FA 8/SB	20/FA 8/SB	20 (F) / 8 (A)	-	-	6	-	-	-	-	-	15 ml Falcon®	
6 (F) / 20 (A)	6 (F) / 8 (A)	6 (F) / 8 (A)		4/SB	4/SB	4 (A)	-	-	6	-	-	-	-	-	50 ml Falcon®	
100 (A)	56 (A)	56 (A)		-	-	-	-	-	-	-	-	-	-	-	Röhrchen 1,2 - 5 ml (11 mm ø)	
100 (A)	36 (A)	36 (A)		40 (A) / 16 (A)*	40 (A) / 16 (A)*	40 (A) / 16 (A)*	-	-	-	-	-	-	-	-	Röhrchen 2,6 - 7 ml (13 mm ø)	
48 (A)	48 (A)	48 (A)		16 (A)*	16 (A)*	16 (A)*	-	-	-	-	-	-	-	-	Röhrchen 3 - 15 ml (16 mm ø)	
64 (A)	24 (A)	24 (A)		24 (A) / 16 (A)	24 (A) / 16 (A)*	24 (A) / 16 (A)*	-	-	-	-	-	-	-	-	Röhrchen 7 - 17 ml (17,5 mm ø)	
32 (A)	16 (A)	16 (A)		-	-	-	-	-	-	-	-	-	-	-	Röhrchen 7 - 18 ml (20 mm ø)	Platten
16 (A)	8 (A)	8 (A)		-	-	-	-	-	-	-	-	-	-	-	Röhrchen 18 - 30 ml (26 mm ø)	Röhrchen
16 (A)	4 (A)	4 (A)		-	-	-	-	-	-	-	-	-	-	-	Röhrchen 30 - 50 ml (31 mm ø)	Flaschen
8 (A)	4 (A)	4 (A)		-	-	-	-	-	-	-	-	-	-	-	Röhrchen 50 - 75 ml 35 mm ø)	
4 (A)	4 (A)	4 (A)		-	-	-	-	-	-	-	-	-	-	-	Röhrchen 80 - 100 ml 35 mm ø)	
4 (A)	-	-		-	-	-	-	-	-	-	-	-	-	-	Röhrchen 180 - 250 ml (62 mm ø)	
6 (F)	6 (F)	6 (F)		-	-	-	-	-	-	-	-	-	-	-	Oak Röhrchen hart 20 - 30 ml (29 mm ø)	
6 (F)	6 (F)	6 (F)		-	-	-	-	-	-	-	-	-	-	-	Oak Röhrchen hart 50 ml (29 mm ø)	
6 (F)	6 (F)	6 (F)		4	4	4	-	-	-	-	-	-	-	-	Oak Röhrchen hart 85 ml (38 mm ø)	
4 (A)	-	-		-	-	-	-	-	-	-	-	-	-	-	Falcon 400 ml	
16 (A)	10 (A)	10 (A)		-	-	-	-	-	4	-	-	-	-	-	MTP	
4 (A)	4 (A)	4 (A)		-	-	-	-	-	-	-	-	-	-	-	Deepwell-Platten	
4 (A)	4 (A)	4 (A)		-	-	-	-	-	-	-	-	-	-	-	Filter für Platten	